

SAFETY DATA SHEET

Issue Date: 3 May 2016

Revision Date: 3 May 2016

Version 1

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: SUPER FINISH **Product Description:** 20% FLOOR WAX **Other Means of Identification** Product # 233 **Synonyms** None Details of the Supplier of the Safety Data Sheet **Company Name** CHEMCO INDUSTRIES, INC. 5731 Manchester Avenue St. Louis, MO 63110 www.chemcoindustries.com 314-647-1888 1-800-854-4236 (to Reorder) **Emergency Telephone Number Emergency Telephone** INFOTRAC 1-800-535-5053 2. HAZARDS IDENTIFICATION Classification **OSHA Regulatory Status:** This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Acute toxicity - Oral Not Classified Not Classified Acute toxicity - Dermal Skin corrosion/irritation Category 3 Label Elements **Emergency Overview: WARNING** Hazard Statements: Causes mild skin irritation Harmful to aquatic life with long lasting effects Appearance: Opaque Physical state: Liquid Odor: Mild Ammonia **Precautionary Statements - Prevention** Avoid release to the environment **Precautionary Statements - Response** Specific Treatment (See Section 4 on the SDS) If skin irritation occurs: Get medical advice/attention Immediately call a POISON CENTER or doctor/physician **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Other Information Unknown Acute Toxicity: 0.916927% of the mixture consists of ingredient(s) of unknown toxicity Page 1 of 8

3 May 2016

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Styrene Acrylic Copolymer	Proprietary	10-30	*
2-(2-ethoxyethoxy)ethanol	111-90-0	3-7	*
Tributoxyethyl Phosphate	78-51-3	1-5	*
Zinc Oxide	1314-13-2	.1-1	*
Ammonia	7664-41-7	.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures Skin Contact

Eye contact

Inhalation Ingestion Wash off immediately with plenty of water. Wash skin with soap and water. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Remove to fresh air. Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed Symptoms Ar

Any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions Environmental precautions	See Section 12 for additional ecological information.		
<u>Methods and material for containment and cleaning up</u> Methods for containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.		

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling

<u>Conditions for safe storage, including any incompatibilities</u> Storage Conditions Handle in accordance with good industrial hygiene and safety practice.

Keep containers tightly closed in a dry, cool and well-ventilated place.

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Incompatible materials

Exposure Guidelines

Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Zinc oxide 1314-13-2	STEL: 10 mg/m₃ respirable fraction TWA: 2 mg/m₃ respirable fraction	TWA: 5 mg/m₃fume TWA: 15 mg/m₃ total dust TWA: 5 mg/m₃ respirable fraction (vacated) TWA: 5 mg/m₃ fume (vacated) TWA: 10 mg/m₃ total dust (vacated) TWA: 5 mg/m₃ respirable fraction (vacated) STEL: 10 mg/m₃fume	IDLH: 500 mg/m3 Ceiling: 15 mg/m₃ dust TWA: 5 mg/m₃ dust and fume STEL: 10 mg/m₃ fume	
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m3 (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m3	IDLH: 300 ppm TWA: 25 ppm TWA: 18 mg/m3 STEL: 35 ppm STEL: 27 mg/m3	
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m3	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m3	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls Engineering Controls

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear impervious protective clothing, including boots, gloves,		
	lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	Handle in accordance with good industrial hygiene and safety practice.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor Threshold pН Specific Gravity Viscosity Melting Point/Freezing Point Flash point Boiling point/boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature Decomposition temperature Density Lbs/Gal VOC Content (%)

Liquid Opaque Off-white Mild Ammonia No information available 8.0-9.0 1.054 <100 cP @ 25°C No information available None 212°F (at 760 mmHg) No information available No information available

No information available No information available No information available Complete No information available No information available 8.79 6.10247

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

None known based on information supplied

Hazardous Decomposition Products

None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Product Information Inhalation

Eye contact Skin Contact

Ingestion

Harmful by inhalation and in contact with eyes and skin. Avoid breathing vapors or mists. May cause irritation of respiratory tract. Avoid contact with eyes. May cause slight irritation. Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Not an expected route of exposure. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
2-(2-ethoxyethoxy)ethanol 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg (Rat)	> 5240 mg/m₃ (Rat) 4 h	
Ethanol 64-17-5	= 7060 mg/kg(Rat)	-	= 124.7 mg/L(Rat)4 h	
nformation on toxicological ef	fects			
Symptoms		No Information available.		
	as well as chronic effects f	rom short and long-term exposure		
Sensitization		No Information available.		
Germ cell mutagenicity		No Information available.		
Carcinogenicity		The table below indicates whether		
		any ingredient as a carcinogen. Ethanol has been shown to		
		be carcinogenic in long-term studie	s only when consumed as	
		alcoholic beverage.		
ACGIH (American Conference of G	overnmental Industrial Hygien	ists)		
ARC (International Agency for Res	search on Cancer)			
ARC (International Agency for Res Group 1 - Carcinogenic to Humans	,			
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program	,			
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen)	Department of		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He)	Department of		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor))	Department of		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor) K - Present)			
ARC (International Agency for Res Group 1 - Carcinogenic to Humans ATP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He abor) K - Present Reproductive toxicity)	No Information available.		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen DSHA (Occupational Safety and He Labor) K - Present Reproductive toxicity STOT - single exposure)	No Information available. No Information available.		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen DSHA (Occupational Safety and He Labor) K - Present Reproductive toxicity GTOT - single exposure GTOT - repeated exposure)	No Information available.		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans ATP (National Toxicology Program Known - Known Carcinogen DSHA (Occupational Safety and He abor) (- Present Reproductive toxicity GTOT - single exposure GTOT - repeated exposure)	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep		
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen DSHA (Occupational Safety and He Labor) K - Present Reproductive toxicity GTOT - single exposure GTOT - repeated exposure)	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep when consumed as an alcoholic bey	erage. Ethanol has been	
ARC (International Agency for Res Group 1 - Carcinogenic to Humans ATP (National Toxicology Program Known - Known Carcinogen DSHA (Occupational Safety and He abor) (- Present Reproductive toxicity GTOT - single exposure GTOT - repeated exposure)	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep	erage. Ethanol has been	
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor) K - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure)	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep when consumed as an alcoholic bey	erage. Ethanol has been	
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor) X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity)	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep when consumed as an alcoholic bey shown to be carcinogenic in long-ter	erage. Ethanol has been	
A3 - Animal Carcinogen ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor) X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Chronic toxicity Aspiration hazard Numerical measures of toxicity	ealth Administration of the US i	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep when consumed as an alcoholic bev shown to be carcinogenic in long-ter consumed as alcoholic beverage.	erage. Ethanol has been	
ARC (International Agency for Res Group 1 - Carcinogenic to Humans NTP (National Toxicology Program Known - Known Carcinogen OSHA (Occupational Safety and He Labor) X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	ealth Administration of the US i	No Information available. No Information available. No Information available. Ethanol has been shown to be a rep when consumed as an alcoholic bev shown to be carcinogenic in long-ter consumed as alcoholic beverage.	rerage. Ethanol has been m studies only when	

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u> 34.68746% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-ethoxyethoxy)ethanol 111-90-0	-	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow- through	3940 - 4670: 48 h Daphnia magna mg/L EC50
Tributoxyethyl Phosphate 78-51-3	-	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	-
Nonylphenol Ethoxylate 9016-45-9	-	5: 96 h Fish mg/L LC50	-
Ammonia 7664-41-7	-	0.44: 96 h Cyprinus carpio mg/L LC50 0.26 - 4.6: 96 h Lepomis	25.4: 48 h Daphnia magna mg/L LC50

		macrochirus mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 1.19: 96 h Poecilia reticulata mg/L LC50 static	
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	1970 - 3880: 96 h Pimephales promelas mg/L LC50 static 4210: 96 h Gambusia affinis mg/L LC50 static	140: 48 h Daphnia magna mg/L EC50 Static 1400: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition Coefficient
2-(2-ethoxyethoxy)ethanol 111-90-0	-0.8
Tributoxyethyl Phosphate 78-51-3	4.78
Ammonia 7664-41-7	-1.14

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal of wastes

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Zinc Oxide 1314-13-2	Toxic	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS. <u>DOT</u>
Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0	
SARA 311/312 Hazard Categories		

OARA OF HOTE HAZARA OAROGONOO	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2	-	Х	-	-
Ammonia 7664-41-7	100 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Na	me H	azardous Substances RQs	CERLA/SARA RQ	Reportable Quantity (RQ)
Ammonia 7664-41-7		100 LB	100 LB	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol 111-90-0	X	-	Х
Ammonia	X	Х	Х

7664-41-7			
Ethanol 64-17-5	X	X	X
Magnesium Nitrate 10377-60-3	X	Х	X

U.S. EPA Label Information

EPA Pesticide Re	gistration Number
------------------	-------------------

Not Applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards: 1	Flammability: 0	Instability: 0 Physic	cal & Chemical Properties: Yes
HMIS	Health hazards: 1	Flammability: 0	Physical Hazards: 0	Personal Protection: B

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.