

MATERIAL SAFETY DATA SHEET

CHEMCO INDUSTRIES, INC.
5731 Manchester Ave., St. Louis, MO 63110



DATE OF ISSUE: January, 05, 2006

GENERAL INFORMATION # : 314-647-1888
EMERGENCY TELEPHONE # : (800) 854-4236

I-PRODUCT IDENTIFICATION

IMPACT LUBE

PRODUCT CODE: #140

CHEMICAL FORMULATION: HIGH IMPACT, NON-MELTING GREASE

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 0 FLAMMABILITY: 3 REACTIVITY: 1

HAZARD RATING: 4- Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - HAZARDOUS INGREDIENTS

Hazardous Components (Specific Chemical Identity; Common Name (s))	Other Limits	
	Recommended	% optional
PETROLEUM OIL MIXTURE	OSHA PEL 5mg/m ³ TWA for oil mist	ACGIH TLV 5mg/m ³
ADDITIVES	Potential hazards have been evaluated & pertinent information has been included in section 3-7.	

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling Level STEL: Short Term Exposure Limit
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No
302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).
355: SARA TITLE III/ List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).
372: SARA TITLE III/ List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - PHYSICAL DATA

BOILING POINT (°f): N/A	MELTING POINT: N/A
VAPOR PRESSURE (mm Hg.): N/A	SPECIFIC GRAVITY (WATER = 1): 0.8
VAPOR DENSITY (AIR = 1): 12	VOC CONTENT (% by weight):
SOLUBILITY IN WATER: NEGLIGIBLE	EVAPORATION RATE (Water = 1): N/A
	pH: N/A
APPEARANCE AND ODOR: DARK GREEN GEL, WITH OIL ODOR.	

IV - FIRE AND EXPLOSION HAZARD

FLASH POINT (°F): 400°F. COC. (TEST METHOD):
FLAMMABLE LIMITS: UPPER: ND LOWER: ND
EXTINGUISHING MEDIA: DRY CHEMICAL (PREFERRED), CARBON DIOXIDE, FOAM, WATER.
SPECIAL FIRE FIGHTING PROCEDURES: USE WATER TO COOL FIRE-EXPOSED CONTAINERS, STRUCTURES AND TO PROTECT PERSONNEL. WATER OR FOAM MAY CAUSE FROTHING. FIREFIGHTERS MAY NEED TO WEAR POSITIVE APPLIED OR SELF-CONTAINED BREATHING APPARATUS.
UNUSUAL FIRE AND EXPLOSION HAZARD: EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUE INCLUDING FLAMMABLE OR EXPLOSIVE VAPORS. DO NOT CUT, DRILL, GRIND, OR WELD ON OR NEAR FULL, PART FULL OR EMPTY DRUM.

V - REACTIVITY DATA

STABILITY:	STABLE
INCOMPATIBILITY:	STRONG OXIDIZING AGENTS.
CONDITIONS TO AVOID:	NONE
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:	THERMALS UNIDENTIFIED ORGANICS. OXIDATIONS OXIDES OF CARBON.
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
CONDITIONS TO AVOID:	NONE

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: IMPACT LUBE

PRODUCT CODE: #140

VI - HEALTH AND HAZARD DATA

ROUTES OF ENTRY: INHALATION? N/A SKIN? N/A INGESTION? N/A EYES? N/A

HEALTH HAZARDS (ACUTE AND CHRONIC) - INHALATION: NOT EXPECTED TO BE A PROBLEM. MASSIVE EXPOSURE TO VAPORS OR FUMES MAY CAUSE HEADACHE, DIZZINESS AND/OR DROWSINESS. MAY CAUSE IRRITATION IN EYES. REPEATED OR PROLONGED CONTACT MAY CAUSE IRRITATION AND/OR DERMATITIS TO SKIN. INGESTION MAY CAUSE GASTROINTESTINAL DISTURBANCES NAUSEA, VOMITING, DIARRHEA.

CARCINOGENICITY? N/A **NTP?** N/A **IARC MONOGRAPHS?** N/A

OSHA REGULATED? N/A

EFFECTS OF OVEREXPOSURE

IF IN EYES: IRRITATION

IF ON SKIN: IRRITATION AND/OR DERMATITIS

IF SWALLOWED: GASTROINTESTINAL DISTURBANCES, NAUSEA, VOMITING, DIARRHEA

IF INHALED: HEADACHE, DIZZINESS AND/OR DROWSINESS.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: FLUSH WITH WATER AT LEAST 15 MIN. IF IRRITATION PERSISTS SEEK MEDICAL AID.

IF ON SKIN: WASH CONTACT AREA THOROUGHLY WITH SOAP AND WATER.

IF SWALLOWED: IF MORE THAN 1/2 PINT INGESTED, SEEK MED. AID.

IMMEDIATE EMERGENCY MEDICAL ATTENTION.

IF INHALED: MOVE FROM SOURCE OF VAPOR FUMES.

VII - SPILL AND LEAK PROTECTION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: ABSORB ON FIRE RESISTANT ABSORBENT. PLACE IN PROPERLY LABELED NON-LEAKING CONTAINERS FOR PROPER DISPOSAL.

WASTE DISPOSAL METHOD: DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS.

VIII - SPECIAL PROTECTION INFORMATION

VENTILATION: **Local Exhaust:** ADEQUATE AT AMBIENT TEMP.

Mechanical (General): N/A **Special:** N/A **OTHER:** N/A

RESPIRATORY PROTECTION: NOT USUALLY NECESSARY. USE WITH ADEQUATE VENTILATION. IF PELs OR TLVs ARE EXCEEDED (SEE SECTION II), USE AN APPROVED NIOSH/MSHA RESPIRATOR.

PROTECTIVE GLOVES: N/A

EYE PROTECTION: N/A

OTHER PROTECTIVE EQUIPMENT: OIL RESISTANT APRON TO PREVENT CLOTHING CONTAMINATION.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP AWAY FROM FLAMES, SPARKS, OR HOT SURFACES. SEE ALSO SECTION 3. KEEP CONTAINERS CLOSED. SHELF LIFE 1 YEAR.

OTHER PRECAUTIONS: DO NOT WEAR CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY AFTER HANDLING. CLEAN EMPTY CONTAINERS PROPERLY.

WORK/HYGIENIC PRACTICES - DO NOT WEAR OIL SOAKED CLOTHING. WASH AFTER HANDLING.

REVISION DATE: January 05, 2005

Prepared By:

DATE OF ISSUE: January 05, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Chemco Industries assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.