



Serving Our Customers Since 1975

SAFETY DATA SHEET

Issue Date: 8 October 2015

Revision Date: 8 October 2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: **INSECT AWAY 25%**

Product Description: **INSECT REPELLANT**

Other Means of Identification

Product # RA636
Synonyms None

Details of the Supplier of the Safety Data Sheet

Company Name CHEMCO INDUSTRIES, INC.
5731 Manchester Avenue
St. Louis, MO 63110
www.chemcoindustries.com
314-647-1888
1-800-854-4236 (to Reorder)

Emergency Telephone Number

Emergency Telephone INFOTRAC 1-800-535-5053

2. HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol: Category 2

Liquefied Gas

Skin Irritant: Category 2

Eye Irritant: Category 2A

HAZARD STATEMENT(S): Warning: Flammable Aerosol Contains gas under pressure; May explode if heated. Causes skin and serious eye irritation. This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. –No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENT | CAS NUMBER | PERCENT |
|----------------------|------------|---------|
| Diethyl-M-Toluamide | 134-62-3 | 22-56% |
| Isopropyl Alcohol | 67-63-0 | 15-40% |
| Propane/n-Butane | 68476-86-8 | 10-30% |

| | | |
|--------------------------------------|----------|------|
| Acetone | 67-64-1 | 3-7% |
| n-Octyl bicycloheptene dicarboximide | 113-48-4 | 5% |
| Di-n-propyl isocinchomerate | 136-45-8 | 2.5% |

4. FIRST AID MEASURES

EYES: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

INGESTION: Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention.

INHALATION: Move to fresh air. If breathing is difficult, administer oxygen. If heartbeat or breathing seems irregular seek immediate medical attention.

SKIN: Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation develops.

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision
Skin: defatting and dermatitis
Oral: abdominal irritation, nausea, vomiting, and diarrhea

CHRONIC HEALTH HAZARDS: None known

NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, alcohol foam, alcohol-resistant foam, or carbon dioxide. Water may be ineffective.

UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes, and decomposition products. Cool fire exposed containers with water fog to prevent bursting.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Contain Spill. Use absorbent material such as vermiculite for large spills. Small spills may be wiped up using wiping material

WASTE DISPOSAL: Dispose of in accordance with local, State and Federal regulations. Wrap empty containers in newspaper and dispose properly

RCRA STATUS: Liquid could be classified as D001 under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

7. HANDLING AND STORAGE

HANDLING AND STORAGE: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

OTHER PRECAUTIONS: Store in a cool, dry area away from heat, sparks or flame. Read directions before using.

INCOMPATIBILITY: Strong oxidizers, alkalis, and strong acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| HAZARDOUS INGREDIENT | OSHA PEL | ACGIH TLV |
|--------------------------------------|-----------------|-----------------|
| Diethyl-M-Toluamide | Not Established | Not Established |
| Isopropyl Alcohol | 400 ppm | 200 ppm |
| Propane/n-Butane | 1000 ppm | 1000 ppm |
| Acetone | 1000 ppm | 500 ppm |
| n-Octyl bicycloheptene dicarboximide | Not Established | Not Established |
| Di-n-propyl isocinchomeronate | Not Established | Not Established |

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation suitable, forced ventilation should not be required

RESPIRATORY PROTECTION: Not required with normal use. Wear NIOSH/MSHA approved respiratory protection if exposure limits are exceeded.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses

ADDITIONAL MEASURES: Wash hands thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, light amber aerosol

ODOR: Insecticidal odor

ODOR THRESHOLD: N/D

BOILING POINT: 165

FREEZING POINT: N/D

FLAMMABILITY: Flammable Aerosol

FLASH POINT: N/D

AUTOIGNITION TEMPERATURE: N/D

LOWER FLAMMABILITY LIMIT: N/D

UPPER FLAMMABILITY LIMIT: N/D

VAPOR PRESSURE (mm Hg): >10 @ 77°F (25°C)

VAPOR DENSITY (AIR=1): >2

EVAPORATION RATE: <3

SPECIFIC GRAVITY (H₂O=1): 0.870

pH: N/A

SOLIDS (%): N/D

SOLUBILITY IN WATER: 39%

PARTITION COEFFICIENT: n-OCTANOL/WATER (KOW): N/D

VOLATILITY INCLUDING WATER (%): 70%

VOLATILE ORGANIC COMPOUNDS (VOC): 64.5%

DIELECTRIC STRENGTH (Volts): N/D

DECOMPOSITION TEMPERATURE: N/D

VISCOSITY: N/D

10. STABILITY AND REACTIVITY

REACTIVITY: None Known

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Temperatures greater than 122°F may cause bursting.

INCOMPATIBILITY: Strong oxidizers, alkalis, and strong acids

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of carbon

POSSIBLE HAZARDOUS REACTIONS: None Known

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Isopropyl Alcohol (67-63-0) LD50 (Oral,Rat) 5045 mg/kg; LD50 (Oral, Rabbit) 5045 mg/kg; LD50 (Dermal, Rabbit) 12,800 mg/kg; LC50 (Inhalation, Rat, 8hr) 16,000 ppm

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

EYES: May cause severe irritation, redness, tearing.

INGESTION: May be harmful.

INHALATION: May cause dizziness, disorientation, suffocation, unconsciousness with excessive or prolonged exposure.

SKIN: May cause mild irritation if sensitive to Deet.

MEDICAL CONDITION AGGRAVATED: None known

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision

Skin: defatting and dermatitis

Oral: abdominal irritation, nausea, vomiting, and diarrhea

CHRONIC HEALTH HAZARDS: None known

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not Established

BIODEGRADABILITY: Component or components of this product are not biodegradable.

BIOACCUMULATION: This product is not expected to bioaccumulate.

SOIL MOBILITY: This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None Known

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with local, State and Federal regulations. Wrap empty containers in newspaper and dispose properly

RCRA STATUS: Liquid could be classified as D001 under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Aerosols 2.1, Ltd. Qty.

HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN 1950

PACKAGING GROUP: N/A

AIR SHIPMENT

PROPER SHIPPING NAME: Aerosols, Ltd. Qty.

HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN 1950

SHIPPING BY WATER:

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Aerosols, Ltd. Qty.

HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN 1950

ENVIRONMENTAL HAZARDS WATER: Marine Pollutant

15. REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None

SARA 311/312 HAZARD CATEGORIES: None

SARA 313 REPORTABLE INGREDIENTS: None

STATE REGULATIONS: California Proposition 65: None

INTERNATIONAL REGULATIONS: All components are listed or exempted.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if swallowed. Causes moderate eye irritation. Wash hands before eating, drinking, chew gum, using tobacco or using the toilet. **EXTREMELY FLAMMABLE:** Contents under pressure. Do not use near fire, heated surface, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not expose treated skin or clothing to fire, sparks or flame until liquid has evaporated.

EPA Reg. No. 44446-48

| | | | |
|---------------------------|------|---------------------------|---|
| NFPA HEALTH: | 1 | HMIS HEALTH: | 1 |
| NFPA FLAMMABILITY: | 2 | HMIS FLAMMABILITY: | 2 |
| NFPA REACTIVITY: | 1 | HMIS REACTIVITY: | 1 |
| NFPA OTHER: | None | HMIS PROTECTION: | A |

16. OTHER INFORMATION

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.