

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

**IDENTITY (As Used on Label and List)**

WELCOME

*Note: Blank spaces are not permitted. If any item is not applicable, or no
information is available, the space must be marked to indicate that.*

Section I

Manufacturer's Name	CHEMCO INDUSTRIES, INC.	Emergency Telephone Number	314-846-1888
Address (Number, Street, City, State, and ZIP Code)	4888 BAUMGARTNER RD.	Telephone Number for Information	314-846-1888
	ST. LOUIS, MO 63129	Date Prepared	3-27-91
		Signature of Preparer (optional)	

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
---	----------	-----------	--------------------------	--------------

THIS MATERIAL IS NOT CONSIDERED HAZARDOUS UNDER CURRENT DEPARTMENT OF LABOR STANDARDS.

Section III — Physical/Chemical Characteristics

Boiling Point	215-220°F	Specific Gravity (H ₂ O = 1)	1.03
Vapor Pressure (mm Hg.)	15-16	Melting Point	
Vapor Density (AIR = 1)	no data	Evaporation Rate (Butyl Acetate = 1)	
Solubility in Water	COMPLETE		

Appearance and Odor

CLEAR YELLOW LIQUID, LEMON FRAGRANCE

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	NON-FLAMMABLE	Flammable Limits	NONE	LEL	UEL
Extinguishing Media	NONE				
Special Fire Fighting Procedures	NONE				
Unusual Fire and Explosion Hazards	NONE				

(Reproduce locally)

OSHA 174, Sept. 1985

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI — Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (Acute and Chronic)

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Signs and Symptoms of Exposure POSSIBLE EYE IRRITANT, EXCESSIVE INGESTION MAY CAUSE NAUSEA AND VOMITING.

Medical Conditions Generally Aggravated by Exposure

Emergency and First Aid Procedures RINSE EYE WITH COPIOUS AMOUNTS OF WATER, CALL PHYSICIAN IF EXCESSIVE AMOUNTS ARE INGESTED.

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled MATERIAL MAY BE FLUSHED TO RETAINING AREA, OR DOWN THE DRAIN.

Waste Disposal Method ACCORDING TO LOCAL POLLUTION ORDINANCES.

Precautions to Be Taken in Handling and Storing NORMAL SAFETY PRECAUTIONS. DO NOT ALLOW THIS MATERIAL TO FREEZE. FREEZING WILL NOT DAMAGE THE MATERIAL, HOWEVER IT MAY RUPTURE THE CONTAINER.

Other Precautions

Section VIII — Control Measures

Respiratory Protection (Specify Type)

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves Eye Protection RECOMMENDED

Other Protective Clothing or Equipment

Work/Hygienic Practices